





Warning Safe Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
1	black fiber glass welding blanket		Color: Black spec.: 1.83M(witdh)*45Meter (82.35 m²/ROLL) made of silica fabric at ± 800 grams/m² intended to withstand a temperature of ± 550°C	€ 1,120.28	1	roll	€ 1,120.28	1~1.5W	시트타입도 공급함 불티방지포(롤) ISO 9150:1988-12 TÜV 21278287 001
2	gold fiber glass welding blanket		spec.: 1.83M(witdh)*45Meter, (82.35 m²/ROLL) '- This welding blanket is made of fiberglass at± 1.000 grams/m², with a gold/yellow color coating with on one side acryl coating and on the other side neoprene coating. - This welding blanket is intended to withstand a temperature of ± 550°C. - The welding blankets which are made of gold fiber glass	€ 1,402.54	1	roll	€ 1,402.54	1~1.5W	시트타입도 공급함 불티방지포(롤) ISO 9150:1988-12 TÜV 21278287 001
3	Welding Screen		orange/red welding screen 1,74 x 1,74 Meter – Fits within frame 1.8 x 1.8 mtr. – Heat sealed seams and grommets – Nylon ties are furnished for convenience and secure fastening to the quick connection DIN EN ISO 25980:2015-01	€ 25.43	10	pcs	€ 254.25	1~1.5W	Available Size: 1,74 x 2.34 Meter JM can offer Roll Type as well!
4	Welding Screen		Green welding screen 1,74 x 2.34 Meter – Fits within frame 1.8 x 2.4 mtr. – Heat sealed seams and grommets – Nylon ties are furnished for convenience and secure fastening to the quick connection DIN EN ISO 25980:2015-01	€ 33.42	10	pcs	€ 334.20	1~1.5W	Available Size: 1,74 x 1.74 Meter JM can offer Roll Type as well!

Warning Safe Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
5	Modular Frame for Welding Screen		<p>– 1.8 x 1.8 mtr. / 1.8 x 2.4 mtr.(Combo)</p> <p>– The COMBOframe™ suitable for the welding screens as above !</p> <p>– Will be delivered as only frame (incl. swivelset), without screens</p>	€ 78.42	5	pcs	€ 392.10	1~1.5W	
6	Welding Curtain (Orange/Red)		<p>Size: 68* 180cm</p> <p>– the strip screens are made with a specially formulated vinyl, 0,4 mm. thick.</p> <p>– At the upper side of the strip is a reinforced heat sealed seam with 5 grommets.</p> <p>– 5 rings (Ø 50 mm.) are included for convenience and secure fastening.</p> <p>– The strip screens are manufactured and certified according to EN 1598.</p>	€ 27.12	10	pcs	€ 271.20	1~1.5W	available Green Color
7	connectable welding Screen		<p>Green connectable welding screen 137 x 180 cm. (Incl. 9 rings Ø 50 mm.)</p> <p>– 1.37 x 1.8 mtr.</p> <p>– Connectable welding screen</p> <p>– Heat sealed seams</p> <p>– Will be delivered together with 9 rings Ø 50 mm.</p>	€ 28.93	10	pcs	€ 289.28	1~1.5W	available Red Color
8	Tarpaulin cover		<p>PE 10x15Meter, 70g/m2</p> <p>color: Blue or dark Green</p> <p>waterproof covering PE sheet, guaranteed grammage 70 g / m2</p> <p>color design blue-silver</p> <p>material - high density PE fibers, yarn count</p>	€ 63.09	5	pcs	€ 315.44	0.5~1W	전막시 공사 야적자재 덮 개용, 사이즈 다양 함 대량바즈겨저무이
9	Industry cleaner (Label Remover) 500ML		<p>Effective</p> <p>Simple removal of adhesive residue, labels, and adhesive tape</p> <p>Dissolves stubborn dirt such as wax, rubber abrasion, silicone residues, permanent marker, oil and grease</p>	€ 7.43	36	pcs	€ 267.30	checking	12pcs/box 점착이물 제거용 available 5 liter IPA , 아세톤 공급 합니다.

Warning Safe Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
10	Würth Brake Cleaner Uni rapid 500ML		For cleaning and degreasing during maintenance and repair work. Fast flash-off behaviour and excellent cleaning performance Fast and effective removal of soot, grease, brake dust and oily residues Residue-free cleaning Acetone-free Good material compatibility with paints	€ 2.13	144	pcs	€ 306.00	0.5~1W	24pcs/box
11	Würth Brake Cleaner 750ML		Fast flash-off behaviour and excellent cleaning performance Fast and effective removal of soot, grease, brake dust and oily residues Residue-free cleaning Acetone-free Good material compatibility with paints, plastics, seals and rubber 100% free of silicones from	€ 3.70	72	pcs	€ 266.40	0.5~1W	24pcs/box
12	Mold Release Agent 400ML		Can be used up to +120°C Greatly reduces rejects Physiologically safe Washes off easily Subsequent treatment of injection moulded parts such as printing, painting and metallising etc. is possible Slight deformation of injection-moulded part, Silicone-free	€ 9.55	24	pcs	€ 229.20	0.5~1W	price checking 24pcs/box big qty need to check the price once again.
13	MAINTENANCE OIL MULTI 400ML		Versatile multi-functional spray for a range of applications Lubricates, cleans and maintains Removes rust and protects against corrosion Resin, acid and silicone-free Does not attack rubber, paint or plastics	€ 5.73	36	pcs	€ 206.10	0.5~1W	WD40 대체품 (Better Quality!) 대용량 공급 가능
14	Superlube Grease		2.27kg Color: white (translucent) Application temperature: -43°C ~ 232°C Can be used for food processing machines	€ 124.75	4	pcs	€ 499.00	1~1.5W	price checking 임시 대체품 공급 가능 한국고객사들 많이 선호하는 제품

Warning Safe Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
15	Knotless safety net		PP, 5 mm, eye 100 mm , rope around the entire circumference Safety nets according to EN 1263-1 safety net type S (with perimeter rope), arrangement with square meshes, rope around the entire perimeter 30 kN, certificate GS 07100011	€ 6.93	80	m2	€ 554.40	checking	various type of safetnet JM Euro can supply
16	Knotless protective net		non-flammable PP, 5 mm, eye 45 mm , color: Green, White Knotless nets have a reinforced edge (stitched around the perimeter with an inserted cord)	€ 16.52	50	m2	€ 826.00	checking	different thickness & eye size JM can supply
17	Safety Rope		Rope twisted 16 mm in some color PP 16mm color: available several color Coiled PP ropes and cords excel in their resistance to weather and chemicals, they are suitable for everyday use in construction, gardening and agriculture. Due to their water resistance, they can also be used on a boat or ship. PP rope coiled 3 strands "A" to which this statement applies is consistent with the following standards: ČSN EN ISO 1968 80 8510	€ 1.12	1000	Meter	€ 1,120.00	1W	available color need to check
18	Rope Static 200Meter		Rope diameter - 10mm , strength - 30kN, min. strength with knots - 15kN, number of falls - 30, elongation - 3.5%, braid displacement - 0mm, weight - 69g/m, rope length 200Meter	€ 463.45	1	roll	€ 463.45	1~2W	available length: 30/60/100/200 Meter
19	polyamide twisted rope		polyamide twisted rope terminated with eyelets diameter 14-16 mm available in two lengths: 10 m and 20 m material: polyamide standard: EN 696 color: white	€ 35.27	3	roll	€ 105.81	0.5~1.5W	








Warning Safe Quotation_Factory/Company

NEW PRICE

JM Euro s.r.o.

NEW ITEM







2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
20	Common Rope					meter	€ -		
21	Safety construction fence (Orange)		tensile strength 11 kN / m grammage 250 g / m2 The expansion process in the production phase and the high weight guarantee greater resistance, rigidity and strength. Packaging :50 m2 / Roll Color : Orange Package weight : 12.5 kg Dimension :1 x 50 Meter Eye size :85 x 25 mm Type :Network	€ 95.93	5	roll	€ 479.66	1~1.5W	
22	Webbing Tape		Polypropylene woven tape. It is available in 10, 15, 20, 25, 30, 40 and 50mm widths. Grades for different tape widths: 10mm-6g / m, 15mm-9g / m, 20mm-12g / m, 25mm - 15g / m, 30mm - 18g / mb, 40mm - 24g / m, 50mm - 30g / mb. It is characterized by high resistance to friction and tearing. Length: 50Meter Application: webbing tape is used in the	€ 8.85	30	roll	€ 265.52	1~2W	price with 30mm width
23	TAPE WITH REFLECTIVE STRIPE		Polyester tape woven with a reflector. The application is mainly jackets, bags and backpacks. Available in widths from 20 to 75mm. Length: 50Meter	€ 18.13	20	roll	€ 362.61	1~2W	price with 30(15)mm width
24	Carrying Belt		color: Black width: 40mm Length: 50 Meter	€ 4.90	20	roll	€ 98.00	2~3D	Special Price 벨크로 공급합니다
25	Carrying Belt		color: Black width: 25mm Length: 50 Meter	€ 2.90	20	roll	€ 58.00	2~3D	Special Price
26	Velcro Hook or Loop		HOOK or LOOP TAPE , PES/PA width: 20 mm 25Meter / ROLL Color: Black	€ 2.54	120	roll	€ 304.92	1~2W	different type JM can offer

Warning Safe Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
27	Enclosed Blade Safety Knife		Concealed cutting edge for complete safety Super sharp carbon steel rotary blade Easily cuts through plastic strapping, film or card Reduces the risk of damaging contents when opening packages Rubberised handle for superior grip and comfort	€ 3.13	24	pcs	€ 75.19	1~1.5W	MOQ: 24 PCS/BOX
28	Safety Knife		Catalog number :BN M445 Product dimensions :100 × 7.8 × 25.5 mm Weight :35 g Cutting depth : 8.5 mm	€ 8.52	10	pcs	€ 85.20	1~1.5W	small qty on stock
29	Plastic barrier post		Bases should be filled with sand or water to ensure that the posts do not fall. Height :920 mm Width :280 mm Color :Red / white Material :Plastic 10pcs/box	€ 190.90	4	box	€ 763.60	1.5~2W	
30	Plastic post with an octagonal base		Material plastic , Color black / white / red , Product dimensions 28 × 28 × 86 cm , Height 90 cm, Volume approx. 4 l Inner opening Ø 4.2 cm , Weight 0.5 kg , Column distance max. 2 m	€ 12.65	50	pcs	€ 632.50	1~1.5W	
31	Connecting link		8mm, Accessories for connecting the plastic chain to the post. Add a practical link to your plastic chain for easier connection of the chain to the barrier post.	€ 0.65	50	pcs	€ 32.50	1.5~2W	
32	Plastic chain Red/white		Material polyethylene, Color white / red Length 25 Meter, Suitable use Eye size 49 × 29 × 7.5 mm, Weight 2.7 kg Specific gravity 110 g / m, Temperature resistance -10 °C to 75 °C	€ 36.46	8	pcs	€ 291.64	1~2W	available thin chain with better price

Warning Safe Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
33	Connecting link - coupling "S"		Material polyethylene, Color Red , Width 55 mm Length 9 mm Height 30 mm , Suitable use Weight 0.01 kg Temperature resistance -10 °C to 75 °C	€ 0.26	50	pcs	€ 13.00	1~2W	
34	warning cone Big		High quality plastic cone with robust construction, black base and reflective stripes, available in sizes 100 cm(H)	€ 22.61	20	pcs	€ 452.20	1~2W	
35	warning cone		Material polyethylene Product dimensions 27 x 27 x 50 cm Color orange / white Height 50 cm Weight 0.6 kg	€ 9.48	40	pcs	€ 379.20	1~1.5W	availale reflective silver color
36	warning cone		High quality plastic cone with robust construction, black base and reflective stripes, available in sizes 50 cm	€ 13.93	40	pcs	€ 557.28	1~1.5W	Available 75cm, 100cm
37	warning cone		The cone can be used with a barrier tape handle on top of it to create a continuous barrier. Barrier tape is sold separately Height : 500 mm Width :290 mm Color :Red / white Material :Plastic Weight : 1.1 kg	€ 30.00	20	pcs	€ 600.00	1~2W	available 75cm !

Warning Safe Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
38	Barrier system for traffic cone		Connector with retractable barrier tape suitable for mounting in the upper part of traffic cones. The connector offers 4-way connectivity with receiving brackets on three sides. Suitable for outdoor use. Length :3000 mm / Height :240 mm Diameter :100 mm / Material :Plastic Tape color :Red / white Console color :Red / Weight : 0.4 kg	€ 20.40	30	pcs	€ 612.00	1~2W	
39	Traffic cone		Safety cone with reflective strip. The safety cone takes up minimal space when packed. Height :420 mm / Width :250 mm Color :Orange / Material :Plastic Weight : 0.5 kg	€ 15.60	30	pcs	€ 468.00	1~2W	available 620mm, 휴대용
40	WARNING FILM		Warning film red - white, size 80mm x 100Meter , non-adhesive.	€ 4.08	20	ROLL	€ 81.60	1~1.5W	
41	Floor Line Tape		50mm*33M 24roll/box	€ 4.55	72	roll	€ 327.60	2~3D	
42	Paint Marker		Marker with an aluminum case, suitable for waterproof writing, marking and drawing on almost all materials. The non-aromatic pigment ink without toluene and xylene additives dries quickly and creates a completely covering varnish surface, suitable also for dark and transparent surfaces. High light fastness, abrasion resistance and fire resistance. Valve controlled ink flow. Round tip, footprint width 2-4mm	€ 1.30	100	pcs	€ 130.00	2~5D	

Warning Safe Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
43	Permanent Marker		writing on paper, cardboard, wood, metal, plastic, glass, porcelain and stone, alcohol-based ink, quick-drying, non-smearing and has a neutral smell. The wedge nib with a footprint width of 2-5 mm, thanks to the special ink filling, stays open for 14 days and does not dry out.	€ 0.58	200	pcs	€ 115.64	2~5D	
44	Permanent Marker Small		Marker Centropen 2846 black Permanent marker with a fiber tip, especially suitable for plastics, glass, films, etc. Alcohol-based ink, resistant to water, abrasion, weather and temperature up to 100 °C. Round tip, trace width 1 mm	€ 0.28	500	pcs	€ 140.00	2~5D	
45	Lighting Stand		POWER SUPPLY - 230 V (220 - 265) / 50 Hz POWER - 100lm / W (10,000lm) ENERGY CONSUMPTION - 2X50W OPERATING TEMPERATURE. - 20 + 40 ° C MATERIAL - ALUMINUM, STEEL WATER PROTECTION - IP 65 CORD LENGTH - 10 m Weight - 9.5 kg	€ 294.00	2	pcs	€ 588.00	1~1.5W	다양한 형태의 스탠딩 라이트 공급합니다.
46	Stop Light		It is intended for stopping and driving vehicles in road traffic with reduced visibility. The turn signal can work in continuous or flashing light mode. Technical parameters: length: 40 cm / diameter: 4 cm power supply: 2 x type D batteries (not included) / light source: red LED	€ 19.50	10	pcs	€ 195.00	1~2W	
47	traffic control indicator		very light, only 175 g (without battery) length of light unit 34 cm LED light source light color red or green continuous or flashing light Visible up to 1.5 km Up to 400 hours in flashing mode power supply 2xR20 cells	€ 42.25	5	pcs	€ 211.25	1~2W	

Warning Safe Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
48	LED Light Stick		offers a high luminous flux of up to 350 lumens (ANSI) and an afterglow of up to 126 meters . This version offers easy operation and four levels of light output with an operating time of up to 200 hours . Control and switching on is solved by the	€ 39.90	10	pcs	€ 399.00	5~7D	old price
49	Red Traffic Wand for above light		Red signal cone It scatters the originally very narrow light beam of the reflector in all directions. The luminaire with a traffic warning cone can thus be used, Length 18.5 cm, outer diameter at the reflector 3.0 cm	€ 5.50	10	pcs	€ 55.00	5~7D	compatible with No. 47 사이즈 확인필! old price
50	Flashlight mounting rechargeable		LED mounting lamp, 60 leds(700lm) - high luminosity and light brightness at min. 4 hour, recharging time approx. 2.5 hours, 230V / 50Hz power supply or 12V power supply in the vehicle, suspension hook - magnet for attaching to metal substrate, shockproof, waterproof	€ 42.35	4	pcs	€ 169.40	2~3D	
51	Tactical Torch		Brightness 180 lumens Beam distance 300m (high), 150m (medium) Run time 8 hours Function high-medium-flash Batteries included AAA x 3 CE certified	€ 14.95	10	pcs	€ 149.50	1~2W	그 외 다양한 형태의 후레쉬 있음.
52	Cleaning Cloth 막보루		Mix-Material Mix-Color Aprox. 90% cotton 10kg/pack	€ 13.20	36	pack	€ 475.20	1~2W	White Color can be supplied. 36pack/ pallet
	discount				1	time	-€ 939.56		3,000€~ : 5%
	Delivery Charge		To Slovakia/ Hungary/ Poland/ Czech 10€/BOX ~ 120€/PALLET express 단독차량 160~190€ 1DAY	€ 35.00	1	Ship	€ 35.00		1,000€~ : Free (부피)중량물 제외 (예:보루,저가안전모, 안전화,소화기,라바콘 등등)

EXW Trnava(SK)

€ 17,886.59

Warning Safe Quotation_Factory/Company

NEW PRICE

JM Euro s.r.o.

NEW ITEM

2023-06-19

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
-----	------	-------	-------------	-----------------------	--------------	------	--------	-----	--------

Payment : In Advance

If the qty is changed , probably the price will be changed

Leading Time; counting after payment confirmation

<https://www.jmeuro.com/warningsafe>